

For The People, LLC

Newport Beach, CA 92663 jacob@cbdforthepeople.com (808) 208-1156 Lic. #CBD

Certificate of Analysis Powered by Confident Cannabis

Sample: 2101DBL0093.0589.R1

Strain: N/A Ordered: 01/15/2021; Sampled: 01/15/2021; Completed: 01/25/2021

x1

Concentrates & Extracts, Other







Microbials



Mycotoxins



Heavy Metals




Foreign Matter



Solvents

Terpenes Analyzed by 300.13 GC/FID and GC/MS **Total Terpenes** LOQ Mass Compound Mass







Stacy Gardalen

Quality Control

reported in this certificate is available from the organization upon request. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of DB Labs.





This report is considered highly confidential and the sole property of the customer. DB Labs will not discuss any part of this study with personnel other than those authorized by the client. The results described in this report only apply to the samples analyzed. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ = Limit of Quantitation. Pesticide LOQ = Instrument Limit of Quantitation, NA = Not Analyzed. ND = Not Detected. NR = Not Reported. NT = Not Tested. PGR = Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using valid testing methodologies and a quality system as required by Nevada state law. Edibles are picked up prior to final packaging unless otherwise stated. Values reported relate only to the product tested. The uncertainty of measurement associated with the measurement result



For The People, LLC

Newport Beach, CA 92663 jacob@cbdforthepeople.com (808) 208-1156 Lic. #CBD

Certificate of Analysis Powered by Confident Cannabis

Sample: 2101DBL0093.0589.R1

Ordered: 01/15/2021; Sampled: 01/15/2021; Completed: 01/25/2021

METRC Sample:

Strain: N/A





Pesticides Analyzed by 300.9 LC/MS/MS and G	C/MS/MS			Pass
Compound	LOQ	Limit	Mass	Statu
	PPB	PPB	PPB	
Abamectin	10	200	<loq< td=""><td>Pas</td></loq<>	Pas
Acequinocyl	10	4000	<loq< td=""><td>Pas</td></loq<>	Pas
Bifenazate	10	400	<loq< td=""><td>Pas</td></loq<>	Pas
Bifenthrin	10	100	<loq< td=""><td>Pas</td></loq<>	Pas
Cyfluthrin	10	2000	<loq< td=""><td>Pas</td></loq<>	Pas
Cypermethrin	10	1000	<loq< td=""><td>Pas</td></loq<>	Pas
Daminozide	10	800	<loq< td=""><td>Pas</td></loq<>	Pas
Dimethomorph	10	2000	<loq< td=""><td>Pas</td></loq<>	Pas
Etoxazole	10	400	<loq< td=""><td>Pas</td></loq<>	Pas
Fenhexamid	10	1000	<loq< td=""><td>Pas</td></loq<>	Pas
Flonicamid	10	1000	<loq< td=""><td>Pas</td></loq<>	Pas
Fludioxonil	10	500	<loq< td=""><td>Pas</td></loq<>	Pas
Imidacloprid	10	500	<loq< td=""><td>Pas</td></loq<>	Pas
Myclobutanil	10	400	<loq< td=""><td>Pas</td></loq<>	Pas
Paclobutrazol	10	400	<loq< td=""><td>Pas</td></loq<>	Pas
Piperonyl Butoxide	10	3000	<loq< td=""><td>Pas</td></loq<>	Pas
Pyrethrins	10	2000	<loq< td=""><td>Pas</td></loq<>	Pas
Quintozene	10	800	<loq< td=""><td>Pas</td></loq<>	Pas
Spinetoram	10	1000	<loq< td=""><td>Pas</td></loq<>	Pas
Spinosad	10	1000	<loq< td=""><td>Pas</td></loq<>	Pas
Spirotetramat	10	1000	<loq< td=""><td>Pas</td></loq<>	Pas
Thiamethoxam	10	400	<loq< td=""><td>Pas</td></loq<>	Pas
Trifloxystrobin	10	1000	<loq< td=""><td>Pas</td></loq<>	Pas
Plant Growth Regulators	10	50	<loq< td=""><td>Pas</td></loq<>	Pas

Microbials Analyzed by 300.1 Plating/QPCR				F	Pass
Quantitative Analysis	- 4	LOQ	Limit	Mass	Status
Bile-Tolerant Gram-Negative Bacteria Yeast & Mold	C	FU/g 10 100	CFU/g 100 1000	CFU/g <loq <loq< td=""><td>Pass Pass</td></loq<></loq 	Pass Pass
Qualitative Analysis	Detected or N	ot De	tected		Status
E. Coli Salmonella	Not Detected Not Detected				Pass Pass

Mycotoxins Analyzed by 300.2 Elisa				Pass
Mycotoxin	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	4.0	20.0	8.0	Pass
Ochratoxin A	2.0	20.0	7.9	Pass

Heavy Meta Analyzed by 300.8 IC				Pass
Element	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Arsenic	63	2000	<loq< td=""><td>Pass</td></loq<>	Pass
Cadmium	63	820	<loq< td=""><td>Pass</td></loq<>	Pass
Lead	63	1200	<loq< td=""><td>Pass</td></loq<>	Pass
Mercury	63	400	<loq< td=""><td>Pass</td></loq<>	Pass

Residual Solv Analyzed by 300.13 GC				Pass
Compound	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Butanes	85	500	<loq< td=""><td>Pass</td></loq<>	Pass
Ethanol	85	500	<loq< td=""><td>Pass</td></loq<>	Pass
Heptanes	85	500	<loq< td=""><td>Pass</td></loq<>	Pass
Propane	85	500	<loq< td=""><td>Pass</td></loq<>	Pass



Stacy Gardalen

Glen Marquez Quality Control

4439 Polaris Ave Las Vegas, NV (702) 728-5180 www.dblabslv.com

Quality Control