

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-000098-LIC  
 ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



Sample ID	Matrix	Distillate - NI (Other Cannabis Good)
Tested for		
Sampled -	Received	Oct 21, 2021
	Reported	Oct 26, 2021
Analyses executed CAN+, RES, MIBIG, MTO, PES, HME, FVI		

CAN+ - Cannabinoids Analysis

Analyzed Oct 22, 2021 | Instrument HPLC-VWD | Method SOP-001

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidiol (CBD)	0.002	0.16	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	1.08	10.83
Tetrahydrocannabinol (THC)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	0.24	2.36
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	ND	ND
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	95.94	959.43
Cannabicyclol (CBL)	0.002	0.006	ND	ND
Cannabichromene (CBC)	0.002	0.16	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Total THC (THCa * 0.877 + THC)			ND	ND
Total CBD (CBDA * 0.877 + CBD)			1.08	10.83
Total CBG (CBGa * 0.877 + CBG)			ND	ND
TOTAL CANNABINOIDS			97.26	972.60

Sample photography



HME - Heavy Metals Detection Analysis

Analyzed Oct 22, 2021 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.05	ND	1.5	Cadmium (Cd)	3.0e-05	0.05	<LOQ	0.5
Mercury (Hg)	1.0e-05	0.01	ND	3	Lead (Pb)	1.0e-05	0.125	<LOQ	0.5

ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



Authorized Signature  
*Aaron Stanick*  
 Dr. Aaron Stanick, Laboratory Director  
 Tue, 26 Oct 2021 13:33:50 -0700



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1

\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

## MIBIG - Microbial Testing Analysis

Analyzed Oct 26, 2021 | Instrument qPCR and/or Plating | Method SOP-007

Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	ND	ND per 1 gram	Salmonella spp.	ND	ND per 1 gram
Aspergillus fumigatus	ND	ND per 1 gram	Aspergillus flavus	ND	ND per 1 gram
Aspergillus niger	ND	ND per 1 gram	Aspergillus terreus	ND	ND per 1 gram

## MTO - Mycotoxin Testing Analysis

Analyzed Oct 26, 2021 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	
Aflatoxin B2	2.5	5.0	ND		Aflatoxin G1	2.5	5.0	ND	
Aflatoxin G2	2.5	5.0	ND		Total Aflatoxins	10.0	20.0	ND	20

ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



PJLA  
Testing  
Accreditation #85368

Authorized Signature

*Aaron Stanak*

Dr. Aaron Stanak, Laboratory  
 Director  
 Tue, 26 Oct 2021 13:33:50 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1



\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

## PES - Pesticides Screening Analysis

Analyzed Oct 26, 2021 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.0078	0.02	ND	0.0078	Carbofuran	0.01	0.02	ND	0.01
Dimethoate	0.01	0.02	ND	0.01	Etofenprox	0.02	0.1	ND	0.02
Fenoxycarb	0.01	0.02	ND	0.01	Thiachloprid	0.01	0.02	ND	0.01
Daminozide	0.01	0.03	ND	0.01	Dichlorvos	0.02	0.07	ND	0.02
Imazalil	0.02	0.07	ND	0.02	Methiocarb	0.01	0.02	ND	0.01
Spiroxamine	0.01	0.02	ND	0.01	Coumaphos	0.01	0.02	ND	0.01
Fipronil	0.01	0.1	ND	0.01	Paclobutrazol	0.01	0.03	ND	0.01
Chlorpyrifos	0.01	0.04	ND	0.01	Ethoprophos (Prophos)	0.01	0.02	ND	0.01
Baygon (Propoxur)	0.01	0.02	ND	0.01	Chlordane	0.04	0.1	ND	0.04
Chlorfenapyr	0.03	0.1	ND	0.03	Methyl Parathion	0.02	0.1	ND	0.02
Mevinphos	0.03	0.08	ND	0.03	Abamectin	0.03	0.08	ND	0.3
Acephate	0.02	0.05	ND	5	Acetamiprid	0.01	0.05	ND	5
Azoxystrobin	0.01	0.02	ND	40	Bifenazate	0.01	0.05	ND	5
Bifenthrin	0.02	0.35	ND	0.5	Boscalid	0.01	0.03	ND	10
Carbaryl	0.01	0.02	ND	0.5	Chlorantraniliprole	0.01	0.04	ND	40
Clofentezine	0.01	0.03	ND	0.5	Diazinon	0.01	0.02	ND	0.2
Dimethomorph	0.02	0.06	ND	20	Etoxazole	0.01	0.05	ND	1.5
Fenpyroximate	0.02	0.1	ND	2	Flonicamid	0.01	0.02	ND	2
Fludioxonil	0.01	0.05	ND	30	Hexythiazox	0.01	0.03	ND	2
Imidacloprid	0.01	0.05	ND	3	Kresoxim-methyl	0.01	0.03	ND	1
Malathion	0.01	0.05	ND	5	Metalaxyl	0.01	0.02	ND	15
Methomyl	0.02	0.05	ND	0.1	Myclobutanil	0.02	0.07	ND	9
Naled	0.01	0.02	ND	0.5	Oxamyl	0.01	0.02	ND	0.2
Permethrin	0.01	0.02	ND	20	Phosmet	0.01	0.02	ND	0.2
Piperonyl Butoxide	0.02	0.06	ND	8	Propiconazole	0.03	0.08	ND	20
Prallethrin	0.02	0.05	ND	0.4	Pyrethrin	0.05	0.41	ND	1
Pyridaben	0.02	0.07	ND	3	Spinosad A	0.01	0.05	ND	3
Spinosad D	0.01	0.05	ND	3	Spiromesifen	0.02	0.06	ND	12
Spirotetramat	0.01	0.02	ND	13	Tebuconazole	0.01	0.02	ND	2
Thiamethoxam	0.01	0.02	ND	4.5	Trifloxystrobin	0.01	0.02	ND	30
Acequinocyl	0.02	0.09	ND	4	Captan	0.01	0.02	ND	5
Cypermethrin	0.02	0.1	ND	1	Cyfluthrin	0.04	0.1	ND	1
Fenhexamid	0.02	0.07	ND	10	Spinetoram J,L	0.02	0.07	ND	3
Pentachloronitrobenzene	0.01	0.1	ND	0.2					

ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



PJLA  
 Testing  
 Accreditation #85368

Authorized Signature

Dr. Aaron Stanick, Laboratory  
 Director  
 Tue, 26 Oct 2021 13:33:50 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1



\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

## RES - Residual Solvents Testing Analysis

Analyzed Oct 22, 2021 | Instrument GC-MSD | Method WI-31

Analyte	LOD ppm	LOQ ppm	Result ug/g	Limit ug/g	Analyte	LOD ppm	LOQ ppm	Result ug/g	Limit ug/g
Propane (Prop)	0.466	1.411	ND	5000	Butane (But)	0.202	0.611	ND	5000
Methanol (Metha)	0.074	0.226	ND	3000	Ethylene Oxide (EthOx)	0.001	0.004	ND	1
Pentane (Pen)	0.134	0.407	ND	5000	Ethanol (Ethan)	0.126	0.383	ND	5000
Ethyl Ether (EthEt)	0.022	0.066	ND	5000	Acetone (Acet)	0.059	0.178	ND	5000
Isopropanol (2-Pro)	0.031	0.094	ND	5000	Acetonitrile (Acetonit)	0.018	0.056	ND	410
Methylene Chloride (MetCh)	0.007	0.021	ND	1	Hexane (Hex)	0.026	0.078	ND	290
Ethyl Acetate (EthAc)	0.028	0.085	ND	5000	Chloroform (Clo)	0.01	0.031	ND	1
Benzene (Ben)	0.008	0.025	ND	1	1,2-Dichloroethane (1,2-Dich)	0.01	0.031	ND	1
Heptane (Hep)	0.021	0.063	ND	5000	Trichloroethylene (TriClEth)	0.01	0.029	ND	1
Toluene (Toluene)	0.006	0.018	ND	890	M,P-Xylene (mp-xyl)	0.01	0.029	ND	2170
O-Xylene (o-xyl)	0.008	0.024	ND	2170					

\*The limit of 2170 ug/g for M,P-Xylene (mp-xyl) and O-Xylene (o-xyl) is to be intended as the two analytes combined.

## TER - Terpenes Testing Analysis

Analyzed Oct 22, 2021 | Instrument GC-MSD | Method WI-28

Analyte	LOD mg/g	LOQ mg/g	(%)	(mg/g)	Analyte	LOD mg/g	LOQ mg/g	(%)	(mg/g)
α-Pinene (α-Pin)	0.000838	0.00254	ND	ND	Camphene (Cam)	0.000942	0.00285	ND	ND
Myrcene (Myr)	0.00108	0.00326	ND	ND	β-Pinene (β-Pin)	0.00111	0.00338	ND	ND
3-Carene (3-Car)	0.000462	0.0014	ND	ND	α-Terpinene (α-Ter)	0.00118	0.00357	ND	ND
α-Ocimene (α-Oci)	0.000236	0.000715	ND	ND	Limonene (Lim)	0.000728	0.00221	ND	ND
p-Cymene (p-Cym)	0.000682	0.00207	ND	ND	β-Ocimene (β-Oci)	0.000678	0.00205	ND	ND
Eucalyptol (Euc)	0.0015	0.00453	ND	ND	g-Terpinene (g-Ter)	0.000566	0.00172	ND	ND
Terpenolene (Terp)	0.000973	0.00295	ND	ND	Linalool (Lin)	0.00183	0.00555	ND	ND
Isopulegol (Isop)	0.00165	0.00499	ND	ND	Geraniol (Gera)	0.000781	0.00237	ND	ND
β-Caryophyllene (β-Cary)	0.00091	0.00276	ND	ND	α-Humulene (Hum)	0.000963	0.00292	ND	ND
cis-Nerolidol (ci-Ner)	0.000507	0.00154	ND	ND	trans-Nerolidol (tr-Ner)	0.00111	0.00336	ND	ND
Guaiol (Gua)	0.0028	0.00849	ND	ND	Caryophyllene Oxide (CarOx)	0.000974	0.00295	ND	ND
α-bisabolol (α-Bbis)	0.0025	0.00756	ND	ND					
Total Terpene Concentration								0.00 %	0.00 mg/g


## FVI - Filth &amp; Foreign Material Inspection Analysis

Analyzed Oct 22, 2021 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	Negative	> 1/4 of the total sample area covered by mold	Negative
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	Negative	> 1/4 of the total sample area covered by an imbedded foreign material	Negative

ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



Authorized Signature  
  
 Dr. Archana R. Parameswar,  
 Laboratory Director


# MWA - Moisture Content & Water Activity Analysis

Analyzed Oct 22, 2021 | Instrument Aqualab TDL | Method

Analyte	Result	Limit	Analyte	Result	Limit
Moisture	NT		Water Activity	NT	0.85 a <sub>w</sub>

ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



Authorized Signature  
  
 Dr. Archana R. Parameswar,  
 Laboratory Director

